

ORIGINAL LINE

Original spare part



The cost-effective original spare parts for motorcycles

OSRAM ORIGINAL LINE motorcycle lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.



Product family datasheet

Technical data

Product description	Product information	General Product Information	Electrical Data		
	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage	Nominal wattage
OSRAM ORIGINAL LINE H7 64210MC	Halogen headlight lamp	64210	58 W ¹⁾	12.0 V	55 W
ORIGINAL LINE S1	Halogen headlight lamp	64326	40 W ¹⁾	12.0 V	25/25 W
ORIGINAL LINE S2	Halogen headlight lamp	64327	40 W ¹⁾	12.0 V	35/35 W
ORIGINAL LINE HS1	Halogen headlight lamp	64185	36.8 / 36.8 W ¹⁾	12.0 V	35 W

Product description	Test voltage	Photometric Data	Physical Attributes & Dimensions	
		Nominal luminous flux	Lamp base	Length
OSRAM ORIGINAL LINE H7 64210MC	13.2 V	1500 lm	PX26d	59.0 mm
ORIGINAL LINE S1	13.2 V		BA20d	71.0 mm
ORIGINAL LINE S2	13.2 V	650/465 lm	BA20d	71.0 mm
ORIGINAL LINE HS1	13.2 V	820/520 lm	PX43t	85.0 mm

Product description	Diameter	Lifetime Data		Capabilities	Certificates & standards	Environmental & Regulatory Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
		Lifespan B3	Lifespan Tc	Technology	ECE category	Date of declaration
OSRAM ORIGINAL LINE H7 64210MC	10.7 mm	330 hr	550 hr	HAL	H7	16-08-2024
ORIGINAL LINE S1	14.7 mm	100 / 200 hr	200 / 400 hr	HAL	S1	26-08-2024
ORIGINAL LINE S2	14.7 mm	100 / 200 hr	180 / 400 hr	HAL	S2	26-08-2024
ORIGINAL LINE HS1	16.5 mm	75 / 150 hr ²⁾	150 / 300 hr ²⁾	HAL	HS1	16-08-2024

Product description	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
OSRAM ORIGINAL LINE H7 64210MC	4062172072786 4052899958890 4008321774026 4052899282582 4052899152120 4062172406529 4008321773906 4062172336949	No declarable substances contained	In work

Product family datasheet





Product description	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL LINE S1	4050300942650 4052899157774	No declarable substances contained	In work
ORIGINAL LINE S2	4052899136786 4052899136755 4052899929692 4062172184670 4008321183309 4050300942629 4052899593626	No declarable substances contained	In work
ORIGINAL LINE HS1	4062172180771 4008321508805 4052899253575 4052899418042 4052899253513 4052899408418 4008321056740 4008321056764 4050300439969 4062172395588	No declarable substances contained	In work

1) Maximum

2) Filament 1

Product family datasheet

Download Data

File	
	ref_pim_amsproduct360degreeimages ORIGINAL H16 64219L+
	ref_pim_amsproduct360degreeimages ORIGINAL S1 64326
	ref_pim_amsproduct360degreeimages ORIGINAL MOTORCYCLE S2 64327
	ref_pim_amsproduct360degreeimages ORIGINAL MOTORCYCLE HS1 64185

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

