
OSRAM LEDinspect FLEXIBLE HEAD TORCH





Flexible Head Band

Soft padding and additional adjustable strap for optimal wearing comfort



Up to 115 Lumen

Three light functions: Up to 115 lm (high, up to 50 lm (low) and a red flashing function at the rear



Approx. 1.5 hours charging time

With a charging time of only approx. 1.5 hours, this OSRAM lamp is quickly ready for use again



2-year OSRAM Guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



Light is versatile

This high-quality flexible head torch from OSRAM is perfect for professional and private use. With three light functions high up to 115lm, low up to 50lm and a red flashing function at the rear, this head torch offers different setting options for a variety of tasks. The illumination integrated directly into the individual adjustable headband enables a wide and even distribution of light and can provide better illumination of the working area. The rechargeable battery allows up to 4.5h of operation at high power or up to 5.5h at low power and with a charging time of only approx. 1.5 hours, this OSRAM lamp is also guickly ready for use again. An USB Micro B charging cable to recharge the lithium battery is included in the scope of supply. In accordance with IP 42 protection rating, this head torch has protection against ingress of dust particles and against splashing water. The LEDinspect Flexible Head Torch has soft pads inside and additionally an adjustable strap for optimal wearing comfort. With a weight of only 62g and the flexible, foldable design, the product is easy to store and transport, making it ideal as a light for craft work, car repairs and everyday use. OSRAM also provides a 2-year guarantee**For precise conditions please refer to: www.osram.com/am-guarantee

Technical data

_

Product description Application and Product		nation	General Product Information		Electrical Data		
			Global order reference		Nominal voltag		Nominal wattage
INSPECTION LAMP	LED inspectio	n lights	LEDIL414		3.7 V		3 W
	Photometric I	Data				Physica Dimens	al Attributes & sions
Product description	Light color LED	-		Color temperature		Height	
INSPECTION LAMP	White	White 115 lm 6000 K			25.0 mm		
							LED module information
Product description	Width	Width		Length Product wei		ght Number of LEDs per module	
INSPECTION LAMP	25.0 mm		245.0 mm		62.00 g		1
	Colors & materials		Lifetime Data	Additional product data			
Product description	Base color	Base color		Number of included batteries		Type of	Battery
INSPECTION LAMP	Black / Orang	Black / Orange 2 years Capabilities Logistical data		1 Recha			eable
	Capabilities			Environmental & Regulator Information according Art. Regulation (EC) 1907/2006		Art. 33 of	FEU
Product description	Technology	Watt hour per battery		Date of d	declaration Candida substan		
INSPECTION LAMP	LED	3.70		19-08-20		Lead	

Product description	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
INSPECTION LAMP	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	3ee5100c-84cd- 4784-ba6a- aabf9f12ebcb

Legal advice

Application advice: For more detailed application information and graphics please see product datasheet and the user instruction.* for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.