# NIGHT BREAKER H7-LED GEN2 PRO

NIGHT BREAKER H7 LED GEN 2



The NIGHT BREAKER LED family - OSRAM's first streetlegal1) LED retrofit lamps.



Up to 230% more brightness2) & 6000K See and be seen with OSRAM. Cool white color temperature similar to daylight. For more safety on the road, especially when driving at night



Up to 5 times longer lifetime3) Vibration resistant, environmentally friendly, and cost-efficient



OSRAM

4 Year OSRAM Guarantee4)

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

# With the new NIGHT BREAKER LED GEN 2, OSRAMs next generation of street-legal1) H7 LED retrofit lamps are now on the market.

Further developed, optimized and redesigned by OSRAM - The new NIGHT BREAKER LED GEN 2 H7. This impresses with an improved optical design that enables higher luminance and can therefore achieve optimized illumination. It impresses with a revised, innovative design for a more modern look and is characterized by more efficient thermal management, which can lead to a lower heat load. With OSRAMs street-legal1) retrofit lamps, you can benefit from highly energy-efficient, bright and modern LED light. With the new street-legal1) NIGHT BREAKER GEN 2 H7-LED you can now upgrade the function of your high- and low beam lights of the vehicle to state-of-the-art LED technology. These LED replacement lamps are suitable as a replacement for conventional H7 lamps and bases. They offer a modern and bright white light with a color temperature of up to 6000 Kelvin and impress with up to 230% more brightness2), while the glare of other road users falls below the permissible maximum values by up to 50%2) In comparison to standard lamps, such as halogen lamps, these LED retrofit lamps consume up to 60% less energy and convince thanks to the LED technology and the specially developed vibration-resistant design, with up to 5 times longer life time3). You can now replace your vehicle lamps with OSRAM's revolutionary NIGHT BREAKER LED retrofit lamps and experience trend-setting brightness with road approval1) Additionally, OSRAM offers a dedicated quarantee on all NIGHT BREAKER LED retrofit lamps4)



## Product family datasheet

## Technical data

	Product ir	formation							
Product description	Application (Category and Product specific)		Product legal advice 1		Product legal advice 2		Product legal advice 3		
NIGHT BREAKER GEN2 H7 LED PRO	General Product Information		1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb- led		2) Compared to minimum ECE R112. On top with 50% less glare.		3) Compared to halogen lamps		
Product description	Global order reference		Power input	Test voltage	Power input toleranc e	t volta		Nominal voltage	
NIGHT BREAKER GEN2 H7 LED PRO	ER GEN2 H7 LED PRO 64210DW		16.0 W	13.2 V	±10 %	16 W		12.0 V	
	Photomet	ric Data						Physical Attribut es & Dimensi ons	
Product description	Color temperature		Nominal luminous flux		Luminous flux tolerance		Light color LED	Product weight	
NIGHT BREAKER GEN2 H7 LED PRO	HT BREAKER GEN2 H7 LED PRO 6000 K		1500 lm		±10 %		Cool white	60.00 g	
							Lifetime D	ata	
Product description	Length	Length		Lamp base		Diameter		Lifespan Tc	
NIGHT BREAKER GEN2 H7 LED PRO	77.9 mm	77.9 mm		PX26d		13.9 mm		2500 hr	
		Capabilities	Certific standa	cates & rds	Inform	ation accordir	gulatory Information g Art. 33 of EU 7/2006 (REACh)		
Product description	Lifespan B3	Technology	Standa	rds	Date o	f declaration	Primary identifie		
NIGHT BREAKER GEN2 H7 LED PRO	1500 hr	LED	ABG		23-08-	2024		2404839   2369268	

## Product family datasheet

Product description	Declaration no. in SCIP database	
NIGHT BREAKER GEN2 H7 LED PRO	In work	

## Product family datasheet

## Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

### Legal advice

1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-led

2) Compared to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%

3) In comparison to traditional Halogen lamps

4) For precise conditions please refer to: www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

0