

# LEDinspect SINGLE CHARGE PAD



### Wire-Free Technology

Simply place a compatible worklight on the charging pad to easily hold and recharge



### Flexible mounting options

With strong magnets and screw holes built-in, you can easily attach the charging pad to toolboxes, workbenches and more



### Built to last

IK08 and IP20 rated to survive the rigors of the professional workshop



### The easiest way to recharge inspection lights

Removing the need to find and connect the correct charging cable, OSRAM's Wire-Free charging pad securely stores and recharges a pair of suitable inspection lamps, so they are ready when you are. This innovative design not only enhances convenience but also supports an uninterrupted workflow.

## Product family datasheet

### Technical data

Product description	Product information	General Product Information	Physical Attributes & Dimensions	
	Application (Category and Product specific)	Global order reference	Product weight	Length
CHARGING PAD	LED inspection lights	LEDIL423	160.00 g	150.6 mm

Product description	Width	Height	Lifetime Data	Capabilities
			Guarantee	Technology
CHARGING PAD	106.0 mm	150 mm	2 years	LED


Product description	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Date of declaration	Candidate list substance 1	CAS No. of substance 1	Safe use instruction
CHARGING PAD	16-08-2024	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product description	Declaration no. in SCIP database
CHARGING PAD	9129cbf7-6ef2-4329-a420-09abcf2c25ad

## Product family datasheet

---

### Download Data

File	
	User instruction LEDinspect SINGLE CHARGE PAD DUAL CHARGE PAD

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.